WX Series *Open Frame Rack*

High-quality Rugged Structure

Square Mounting Holes with U Labeling for Convenience

Depth-adjustable Rack System

Heavy Duty Casters and Leveling Feet

Model No.	Form Factor	Dimension (inches)			Assembly Required?	Loading Capacity (lbs)	Door	Internal Height	Removable Side panels	Security	Casters	Page No.
		W	H	D								
WX-158	15U	23.50	35.25	31.50	No	2200	No	27.25″	Optional	-	Yes	65
WX-228	22U	23.50	47.75	31.50	No	2200	No	39.75″	Optional	-	Yes	66
WX-368	36U	23.50	71.75	31.50	No	2200	No	64.25″	Optional	-	Yes	66
WX-428	42U	23.50	82.50	31.50	No	2200	No	75″	Optional	-	Yes	66

727 Phillips Drive, City of Industry, CA 91748 | TEL:1-888-989-1189 | FAX: 1-626-301-0588 | www.istarusa.com

WX-158

15U 4-Post Open Frame Rack

Max Air Flow | Casters | RoHS Compliant | OEM/ODM

Features

- Universal Fit Most of Rackmount Chassis and Equipment
- Fully Adjustable Rails. Mounting Rails are Horizontally Adjustable to Ensure the Best
- Fit of Rack-mount Chassis
- Optional Side Panels
- Optional Front/Rear Doors

Shipping Information

Shipper Design	Standard Carton
Shipper Dimension (inch)	33x25x35
Weight	108 lbs
Pallet Load	2

Introduction

The WX Series 4-Post open frame rack is built with high-quality aluminum/ steel structures. This stylish 19" rack-mount cabinet protects your investment in computer equipment against environmental elements heat. The WX series comes with castors and leveling feet help moving and setting equipment easily to any location. It is a flexible and cost-effective solution for rack-mount devices.

Accessories

WA-KBR80B	1U Compact Sliding Keyboard Drawer
WA-LB80B	Cabinet Supporting Bar
WA-PD010	10 Outlet Overload Circuit Breaker Protection Power Distribution Unit
WA-PD014	14 Outlet Lightening Surge Protection Power Distribution Unit
WA-PS010	10 Outlet Power Strip
WA-PS06A	6 Outlet Power Strip
WA-SF80B	Heavy Duty Rackmount Shelf
WA-SFR80B	Heavy Duty Sliding Tray
WA-SW10-M6	Cabinet/ Rack Screw Kit
WA-SW20-M6	WA-Screws of Cabinet Cage

Specifications

Color	Black (RAL9011)
Material	Horizontal Rails: SPCC t:2.0mm Vertical Rails: SPCC t:2.0mm Top Panel: SPCC t:1.2mm
Internal Height	27.25"

WX-228

22U 4-Post Open Frame Rack

Specifications

Color	Black (RAL9011)
Material	Horizontal Rails: SPCC t:2.0mm Vertical Rails: SPCC t:2.0mm Top Panel: SPCC t:1.2mm
Internal Height	39.75″

WX-368

36U 4-Post Open Frame Rack

Specifications

Color	Black (RAL9011)
Material	Horizontal Rails: SPCC t:2.0mm Vertical Rails: SPCC t:2.0mm Top Panel: SPCC t:1.2mm
Internal Height	64.25″

WX-428

42U 4-Post Open Frame Rack

Specifications

Color	Black (RAL9011)
Material	Horizontal Rails: SPCC t:2.0mm Vertical Rails: SPCC t:2.0mm Top Panel: SPCC t:1.2mm
Internal Height	75″

727 Phillips Drive, City of Industry, CA 91748 | TEL:1-888-989-1189 | FAX: 1-626-301-0588 | www.istarusa.com

Drawing

IstarUSA WX Series Size Table









WX-series size table

Dimemsion / product type	VARIABLE SIZE A(mm)	B(mm)	C(mm)	Middle Depth Rail
WX-1580	889	804	667	none
WX-2280	1200	1115	978	none
WX-3680	1823	1738	1601	yes
WX-4280	2089	2004	1867	yes

IstarUSA

C:\Users\Cadmus\Desktop\Project\B9400113-WD3680機種\Workgroups\Workgroup\NWD1-機種-WX機種3680.iam

表單編號：QR-0403-02